INDEX TO VOLUME 75

AUTHORS

Acevedo, A.:
(see Bräger, S.)
Allred, W. S., W. S. Gaud, and J. S. States:
Effects of herbivory by Abert squirrels (Sciurus aberti) on cone crops of ponderosa pine, 700
Amarasekare, P.:
Ecology of introduced small mammals on western Mauna Kea, Hawaii, 24
Anderson, A. E.:
(see Barone, M. A.)
Armitage, K. B.:
(see Salsbury, C. M.)
(see Van Vuren, D.)
Austad, S. N.:
(see Holmes, D. J.)
Baker, R. J.:
Some thoughts on conservation, biodiversity, museums, molecular characters, systematics, and basic research, 277
Baker, R. J., V. A. Taddei, J. L. Hudgeons, and R. A. Van Den Bussche:
Systematic relationships within Chiroderma (Chiroptera: Phyllostomidae) based on cytochrome B sequence variation, 321
Barclay, R. M. R.:
(see Rolseth, S. L.)
Barkley, L. J.:
(see Hafner, M. S.)
(see Sudman, P. D.)
Barone, M. A., M. E. Roelke, J. Howard, J. L. Brown, A. E. Anderson, and D. E. Wildt:
Reproductive characteristics of male Florida panthers: comparative studies from Florida, Texas, Colorado, Latin America, and North American zoos, 150
Barrett, G. W.:
(see Dietz, B. A.)
Barrett, G. W., and J. D. Peles:
Career trends in mammalogy, 92
Batzli, G. O.:
Introduction—Special feature: mammal-plant interactions, 813
Baumgardner, G. D., and M. L. Kennedy:
Patterns of interspecific morphometric variation in kangaroo rats (genus Dipodomys), 203
Bekoff, M., and N. Hettinger:
Animals, nature, and ethics, 219
Belovsky, G. E., and O. J. Schmitz:
Plant defenses and optimal foraging by mammalian herbivores, 816
Beltrán, J. F., and M. Delibes:
Environmental determinants of circadian activity of free-ranging Iberian lynxes, 382
Bentley, R.:
(see Wolff, J. O.)
Berger, J.:
Science, conservation, and black rhinos, 298
Bergström, R.:
(see Danell, K.)
Boggs, J. F.:
(see McMurry, S. T.)
Boitani, L., L. Mattei, D. Nonis, and F. Corsi:
Spatial and activity patterns of wild boars in Tuscany, Italy, 600
Boonstra, R., C. J. Krebs, S. Boutin, and J. M. Eadie:
Finding mammals using far-infrared thermal imaging, 1063
Borden, D. L.:
(see Smith, W. P.)
Boutin, S.:
(see Boonstra, R.)
Bowers, M. A.:
(see English, E. I.)
Bowyer, R. T.:
(see Rachlow, J. L.)
(see Molvar, E. M.)
(see Testa, J. W.)
Boyd, D. K., and M. D. Jimenez:
Successful rearing of young by wild wolves without mates, 14
Bräger, S., B. Würsig, A. Achevedo, and T. Henningsen:
Association patterns of bottlenose dolphins (Tursiops truncatus) in Galveston Bay, Texas, 431
Brooke, A. P.:
Diet of the fishing bat, Noctilio leporinus (Chiroptera: Noctilionidae), 212
Brown, J. L.:
(see Barone, M. A.)
Brown, L.:
(see Macdonald, D. W.)
Burrows, A. M.:
(see Smith, T. D.)
Busch, C.:
(see Vassallo, A. I.)
Busch, M.:
(see Cittadino, E. A.)
Cameron, R. D.:
Reproductive pauses by female caribou, 10
Canbolat, A.-F.:
(see Macdonald, D. W.)
Capanna, E.:
(see Loy, A.)
Cassini, M. H.:
Behavioral mechanisms of selection of diet components and their ecological implications in herbivorous mammals, 733
Cederlund, G., and H. Sand:
Home-range size in relation to age and sex in moose, 1005
Chapuisat, M.:
(see Ruedi, M.)
Chesser, R. K.:
(see van Staaden, M. J.)
Chupasko, J. M.:
(see Hafner, M. S.)
Cicalò, A.:
(see Galleni, L.)
Cittadino, E. A., P. De Carli, M. Busch, and F. O. Kravetz:
Effects of food supplementation on rodents in winter, 446

Clark, J. D.:
(see Smith, K. G.)
Clark, W. A.:
(see O'Farrell, M. J.)
Cole, F. R., D. M. Reeder, and D. E. Wilson:
A synopsis of distribution patterns and the conservation of mammal species, 266
Contreras, L. C., J. C. Torres-Mura, A. E. Spotorno, and L. I. Walker:
Chromosomes of Octomys mimax and Octodontomys gliroides and relationships of octodontid rodents, 768
Cook, J. A., and T. L. Yates:
Systematic relationships of the Bolivian tucotucos, genus Ctenomys (Rodentia: Ctenomyidae), 583
Corsi, F.:
(see Boitani, L.)
Dahl, J. F.:
Size and form of the penis in orang-utans, 1
Danell, K., R. Bergström, and L. Edenius:
Effects of large mammalian browsers on architecture, biomass, and nutrients of woody plants, 833
De Carli, P.:
(see Cittadino, E. A.)
Delibes, M.:
(see Beltrán, J. F.)
(see Palomares, F.)
Demarais, S.:
(see Relyea, R. A.)
Dietz, B. A., A. E. Hagerman, and G. W. Barrett:
Role of condensed tannin on salivary tannin-binding proteins, bioenergetics, and nitrogen digestibility in Microtus pennsylvanicus, 880
Dupré, E.:
(see Loy, A.)
Eadie, J. M.:
(see Boonstra, R.)
Eberhardt, L. E.:
(see Sargeant, G. A.)
Edenius, L.:
(see Danell, K.)
Edge, W. D.:
(see Wolff, J. O.)
Emmerson, F. H.:
(see O'Farrell, M. J.)
Endres, K. M.:
(see Smith, W. P.)
Engle, D. M.:
(see McMurry, S. T.)
English, E. I., and M. A. Bowers:
Vegetational gradients and proximity to woodchuck (Marmota monax) burrows in an old field, 775
Engstrom, M. D.:
(see Schmidt, C. A.)
Faro, J. B.:
(see Testa, J. W.)
Fenton, M. B.:
(see MacDonald, K.)
Festa-Bianchet, M.:
(see Picard, K.)
Fish, F. E.:
Association of propulsive swimming mode with behavior in river otters (Lutra canadensis), 989
Fleming, T. H., and V. J. Sosa:
Effects of nectarivorous and frugivorous mammals on reproductive success of plants, 845
Flood, P. F.:
(see Komers, P. E.)
Foral, A.:
(see Gunnell, G. F.)
Franklin, W. L.:
(see Johnson, W. E.)
Gallardo, M. H.:
(see Kelt, D. A.)
Galleni, L., A. Tellini, R. Stanyon, A. Cicalò, and L. Santini:
Taxonomy of Microtus savii (Rodentia, Arvicolidae) in Italy: cytogenetic and hybridization data, 1040
Garshelis, D. L., and E. C. Hellgren:
Variation in reproductive biology of male black bears, 175
Gates, C. C.:
(see Larter, N. C.)
(see Komers, P. E.)
Gaud, W. S.:
(see Allred, W. S.)
Getz, L. L.:
(see Mankin, P. C.)
Goldingay, R. L.:
(see Price, M. V.)
Goodlett, T. Y.:
(see O'Farrell, M. J.)
Greenwood, R. J., and A. B. Sargeant:
Age-related reproduction in striped skunks (Mephitis mephitis) in the upper Midwest, 657
Gunnell, G. F., and A. Foral:
New species of Bretzia (Cervidae; Artiodactyla) from the latest Pleistocene or earliest Holocene of Nebraska and South Dakota, 378
Hafner, M. S.:
(see Sudman, P. D.)
Hafner, M. S., L. J. Barkley, and J. M. Chupasko:
Evolutionary genetics of New World tree squirrels (Tribe Sciurini), 102
Hagerman, A. E.:
(see Dietz, B. A.)
Harder, J. D.:
(see Hossler, R. J.)
Hayward, G. D., and R. Rosentreter:
Lichens as nesting material for northern flying squirrels in the northern Rocky Mountains, 663
Hellegren, E. C.:
(see Garshelis, D. L.)
Heller, K.-G.:
(see Volleth, M.)
Hendrichs, H.:
(see Schwede, G.)
Henningsen, T.:
(see Bräger, S.)
Herrera, E. A., and D. W. Macdonald:
Social significance of scent marking in capybaras, 410

Hettinger, N.:
(see Bekoff, M.)
Hoefs, M., and U. Nowlan:
Distorted sex ratios in young ungulates: the role of nutrition, 631
Hoffmeister, D. F.:
Hartley H. T. Jackson and the American Society of Mammalogists, i (1)
C. Hart Merriam: "father" of the organizers of the American Society of Mammalogists, i (2)
The importance of the United States Bureau of Biological Survey in the formation of the American Society of Mammalogists, i (3)
The influence of university and museum professionals in the formation of the American Society of Mammalogists, i (4)
Holleman, D. F.:
(see Testa, J. W.)
Holmes, D. J., and S. N. Austad:
Fly now, die later: life-history correlates of gliding and flying in mammals, 224
Hossler, R. J., J. B. McAninch, and J. D. Harder:
Maternal denning behavior and survival of juveniles in opossums in southeastern New York, 60
Howard, J.:
(see Barone, M. A.)
Hudgeons, J. L.:
(see Baker, R. J.)
Hugo, W.:
(see Kumamoto, A. T.)
Hui, C. A.:
Lack of association between magnetic patterns and the distribution of free-ranging dolphins, 399
Huntly, N., and O. J. Reichman:
Effects of subterranean mammalian herbivores on vegetation, 852
Huot, J.:
(see Larivière, S.)
Iskander, D.:
(see Ruedi, M.)
Jenks, J. A., D. M. Leslie, Jr., R. L. Lochmiller, and M. A. Melchiors:
Variation in gastrointestinal characteristics of male and female white-tailed deer: implications for resource partitioning, 1045
Jimenez, M. D.:
(see Boyd, D. K.)
Johnson, W. E., and W. L. Franklin:
Role of body size in the diets of sympatric gray and culpeo foxes, 163
Juarez, S. M.:
(see O'Farrell, M. J.)
Kaplan, J. B., and R. A. Mead:
Seasonal changes in testicular function and seminal characteristics of the male eastern spotted skunk (Spilogale putorius ambarvilus), 1013
Kaufman, D. W.:
(see Kaufman, G. A.)
Kaufman, G. A., and D. W. Kaufman:
Changes in body mass related to capture in the prairie deer mouse (Peromyscus maniculatus), 681
Kay, F. R.:
(see O'Farrell, M. J.)
Keeler, J. O.:
(see Studier, E. H.)
Keim, P.:
(see Theimer, T. C.)
Kelly, P. A.:
(see Price, M. V.)
Kelt, D. A., P. L. Meserve, and B. K. Lang:
Quantitative habitat associations of small mammals in a temperate rainforest in southern Chile: empirical patterns and the importance of ecological scale, 890
Kelt, D. A., and M. H. Gallardo:
A new species of tuco-tuco, genus Ctenomys (Rodentia: Ctenomyidae) from Patagonian Chile, 338
Kennedy, M. L.:
(see Baumgardner, G. D.)
Kingswood, S. C.:
(see Kumamoto, A. T.)
Kittlein, M. J.:
(see Vassallo, A. I.)
Klevezal, G. A., and B. S. Stewart:
Patterns and calibration of layering in tooth cementum of female northern elephant seals, Mirounga angustirostris, 483
Knight, M. H.:
(see Nagy, K. A.)
Koehler, C. E.:
(see Rolseth, S. L.)
Koga, T., and Y. Ono:
Sexual differences in foraging behavior of sika deer, Cervus nippon, 129
Komers, P. E., F. Messier, P. F. Flood, and C. C. Gates:
Reproductive behavior of male wood bison in relation to progesterone level in females, 757
Korth, W. W.:
A new species of the rodent Prosciurus (Aplodontidae, Prosciurinae) from the Orellan (Oligocene) of North Dakota and Nebraska, 478
Kravetz, F. O.:
(see Cittadino, E. A.)
Krebs, C. J.:
(see Boonstra, R.)
Krohn, W. B.:
(see Schooley, R. L.)
Kumamoto, A. T., S. C. Kingswood, and W. Hugo:
Chromosomal divergence in allopatric populations of Kirk's dik-dik, Madoqua kirki (Artiodactyla, Bovidae), 357
Lang, B. K.:
(see Kelt, D. A.)
Lanthier, C.:
(see Picard, K.)
Larter, N. C., and C. C. Gates:
Home-range size of wood bison: effects of age, sex, and forage availability, 142
Larivière, S., J. Huot, and C. Samson:
Daily activity patterns of female black bears in a northern mixed-forest environment, 613
Layne, J. N., and M. A. V. Raymond:
Communal nesting of southern flying squirrels in Florida, 110

Leslie, D. M., Jr.:
(see McMurry, S. T.)
(see Jenks, J. A.)
Levitan, C. D.:
(see Richardson, P. R. K.)
Linhart, Y. B.:
(see Snyder, M. A.)
Lochmiller, R. L.:
(see McMurry, S. T.)
(see Jenks, J. A.)
Lomolino, M. V.:
Species richness of mammals inhabiting nearshore archipelagoes: area, isolation, and migration filters, 39
Loughry, W. J., and C. M. McDonough:
Scent discrimination by infant nine-banded armadillos, 1033
Loy, A., E. Dupré, and E. Capanna:
Territorial behavior in Talpa romana, a fossorial insectivore from southcentral Italy, 529
MacDonald, K., E. Matsui, R. Stevens, and M. B. Fenton:
Echolocation calls and field identification of the eastern pipistrelle (Pipistrellus subflavus: Chiroptera: Vespertilionidae), using ultrasonic bat detectors, 462
Macdonald, D. W.:
(see Herrera, E. A.)
(see Tew, T. E.)
Macdonald, D. W., L. Brown, S. Yerli, and A.-F. Canbolat:
Behavior of red foxes, Vulpes vulpes, caching eggs of loggerhead turtles, Caretta caretta, 985
Maigret, J.:
(see Robineau, D.)
Mankin, P. C., and L. L. Getz:
Burrow morphology as related to social organization of Microtus ochrogaster, 492
Marchinton, R. L.:
(see Murphy, B. P.)
Matsui, E.:
(see MacDonald, K.)
Mattei, L.:
(see Boitani, L.)
Matula, G. J.:
(see Schooley, R. L.)
McAninch, J. B.:
(see Hossler, R. J.)
McCracken, G. F., M. K. McCracken, and A. T. Vawter:
Genetic structure in migratory populations of the bat Tadarida brasiliensis mexicana, 500
McCracken, M. K.:
(see McCracken, G. F.)
McDonough, C. M.:
Determinants of aggression in nine-banded armadillos, 189
McDonough, C. W.:
(see Loughry, W. J.)
McKechnie, A. M., A. T. Smith, and M. M. Peacock:
Kleptoparasitism in pikas (Ochotona princeps): theft of hay, 488
McLaughlin, C. R.:
(see Schooley, R. L.)
McMurry, S. T., R. L. Lochmiller, J. F. Boggs, D. M. Leslie, Jr., and D. M. Engle:
Demographic profiles of populations of cotton rats in a continuum of habitat types, 50
Mead, R. A.:
(see Kaplan, J. B.)
Mech, L. D.:
Buffer zones of territories of gray wolves as regions of intraspecific strife, 199
Regular and homeward travel speeds of Arctic wolves, 741
Melchiors, M. A.:
(see Jenks, J. A.)
Meserve, P. L.:
(see Kelt, D. A.)
Messier, F.:
(see Komers, P. E.)
Messier, F., M. K. Taylor, and M. A. Ramsay:
Denning ecology of polar bears in the Canadian Arctic archipelago, 420
Michener, G. R.:
(see van Staaden, M. J.)
Miller, K. V.:
(see Murphy, B. P.)
Mills, L. S.:
(see Tallmon, D.)
Mitchell, D. A.:
(see Tomasi, T. E.)
Molvar, E. M., and R. T. Bowyer:
Costs and benefits of group living in a recently social ungulate: the Alaskan moose, 621
Mooney, M. P.:
(see Smith, T. D.)
Murphy, B. P., K. V. Miller, and R. L. Marchinton:
Sources of reproductive chemosignals in female white-tailed deer, 781
Nagy, K. A., and M. H. Knight:
Energy, water, and food use by springbok antelope (Antidorcas marsupialis) in the Kalahari Desert, 860
Nonis, D.:
(see Boitani, L.)
Novak, M. A.:
(see Wang, Z.)
Nowlan, U.:
(see Hoefs, M.)
O'Farrell, M. J., W. A. Clark, F. H. Emmerson, S. M. Juarez, F. R. Kay, T. M. O'Farrell, and T. Y. Goodlett:
Use of a mesh live trap for small mammals: are results from Sherman live traps deceptive?, 692
O'Farrell, T. M.:
(see O'Farrell, M. J.)
Oli, M. K.:
Snow leopards and blue sheep in Nepal: densities and predator:prey ratio, 998
Ono, Y.:
(see Koga, T.)
Palomares, F., and M. Delibes:
Spatio-temporal ecology and behavior of European genets in southwestern Spain, 714
Peacock, M. M.:
(see McKechnie, A. M.)

Peek, J. M.:
(see Sargeant, G. A.)
Peles, J. D.:
(see Barrett, G. W.)
Picard, K., D. W. Thomas, M. Festa-Bianchet, and C. Lanthier:
Bovid horns: an important site for heat loss during winter?, 710
Powell, R. A.:
Effects of scale on habitat selection and foraging behavior of fishers in winter, 349
Price, K.:
Center-edge effect in red squirrels: evidence from playback experiments, 545
Price, M. V., P. A. Kelley, and R. L. Goldingay:
Distances moved by Stephens' kangaroo rat (Dipodomys stephensi Merriam) and implications for conservation, 929
Rachlow, J. L., and R. T. Bowyer:
Variability in maternal behavior by Dall's sheep: environmental tracking or adaptive strategy?, 328
Ramsay, M. A.:
(see Messier, F.)
Raymond, M. A. V.:
(see Layne, J. N.)
Read, A. J.:
(see Van Waerebeek, K.)
Reeder, D. M.:
(see Cole, F. R.)
Reichman, O. J.:
Introduction—Special feature: biodiversity, 265
(see Huntly, N.)
Relyea, R. A., and S. Demarais:
Activity of desert mule deer during the breeding season, 940
Richardson, P. R. K., and C. D. Levitan:
Tolerance of aardwolves to defense secretions of Trinervitermes trinervoides, 84
Ridley, D. M.:
(see Studier, E. H.)
Robineau, D., M. Vely, and J. Maigret:
Stenella clymene (Cetacea, Delphinidae) from the coast of West Africa, 766
Roelke, M. E.:
(see Barone, M. A.)
Rolseth, S. L., C. E. Koehler, and R. M. R. Barclay:
Differences in the diets of juvenile and adult hoary bats, Lasiurus cinereus, 394
Rose, J. C.:
(see Smith, K. G.)
Rosentreter, R.:
(see Hayward, G. D.)
Ruedi, M., M. Chapuisat, and D. Iskandar:
Taxonomic status of Hylomys parvus and Hylomys suillus (Insectivora: Erinaceidae): biochemical and morphological analyses, 965
Sæther, B.-E.:
(see Solberg, E. J.)
Salsbury, C. M., and K. B. Armitage:
Home-range size and exploratory excursions of adult, male yellow-bellied marmots, 648
Samson, C.:
(see Larivière, S.)
Sand, H.:
(see Cederlund, G.)
Santini, L.:
(see Galleni, L.)
Sargeant, A. B.:
(see Greenwood, R. J.)
Sargeant, G. A., L. E. Eberhardt, and J. M. Peek:
Thermoregulation by mule deer (Odocoileus hemionus) in arid rangelands of southcentral Washington, 536
Savelle, J. M.:
(see Smith, K. G.)
Schenck, R. A.:
(see Studier, E. H.)
Schmidt, C. A., and M. D. Engstrom:
Genic variation and systematics of rice rats (Oryzomys palustris species group) in southern Texas and northeastern Tamaulipas, Mexico, 914
Schmitz, O. J.:
(see Belovsky, G. E.)
Schooley, R. L., C. R. McLaughlin, G. J. Matula, Jr., and W. B. Krohn:
Denning chronology of female black bears: effects of food, weather, and reproduction, 466
Schwede, G., H. Hendrichs, and C. Wemmer:
Early mother-young relations in white-tailed deer, 438
Sevick, S. H.:
(see Studier, E. H.)
Short, J., and A. Smith:
Mammal decline and recovery in Australia, 288
Siegel, M. I.:
(see Smith, T. D.)
Simonetti, J. A.:
Impoverishment and nestedness in caviomorph assemblages, 979
Slooten, E.:
Behavior of Hector's dolphin: classifying behavior by sequence analysis, 956
Smith, A.:
(see Short, J.)
Smith, A. T.:
(see McKechnie, A. M.)
Smith, K. G., K. A. Strother, J. C. Rose, and J. M. Savelle:
Chemical ultrastructure of cementum growth-layers of teeth of black bears, 406
Smith, K. G., and J. D. Clark:
Black bears in Arkansas: characteristics of a successful translocation, 309
Smith, T. D., M. P. Mooney, M. I. Siegel, A. B. Taylor, and A. M. Burrows:
Shape of scapular fossae in freshwater and marine dolphins, 515
Smith, W. P., D. L. Borden, and K. M. Endres:
Scent-station visits as an index to abundance of raccoons: an experimental manipulation, 637
Snyder, M. A., and Y. B. Linhart:
Nest-site selection by Abert's squirrel: chemical characteristics of nest trees, 136
Solberg, E. J., and B.-E. Sæther:
Male traits as life-history variables: annual variation in body mass and antler size in moose (Alces alces), 1069

Sosa, V. J.:
(see Fleming, T. H.)
Spotorono, A. E.:
(see Contreras, L. C.)
Stanyon, R.:
(see Galleni, L.)
Stapp, P.:
Can predation explain life-history strategies in mammalian gliders?, 227
Stapp, P., J. K. Young, S. VandeWoude, and B. Van Horne:
An evaluation of the pathological effects of fluorescent powder on deer mice (Peromyscus maniculatus), 704
States, J. S.:
(see Allred, W. S.)
Stevens, R.:
(see MacDonald, K.)
Stewart, B. S.:
(see Klevezal, G. A.)
Strother, K. A.:
(see Smith, K. G.)
Studier, E. H., S. H. Sevick, D. M. Ridley, and D. E. Wilson:
Mineral and nitrogen concentrations in feces of some Neotropical bats, 674
Studier, E. H., S. H. Sevick, J. O. Keeler, and R. A. Schenck:
Nutrient levels in guano from maternity colonies of big brown bats, 71
Sudman, P. D., L. J. Barkley, and M. S. Hafner:
Familial affinity of Tomopeas ravus (Chiroptera) based on protein electrophoretic and cytochrome B sequence data, 365
Taddei, V. A.:
(see Baker, R. J.)
Tallmon, D., and L. S. Mills:
Use of logs within home ranges of California red-backed voles on a remnant of forest, 97
Taylor, A. B.:
(see Smith, T. D.)
Taylor, M. K.:
(see Messier, F.)
Tellini, A.:
(see Galleni, L.)
Testa, J. W., D. F. Holleman, R. T. Bowyer, and J. B. Faro:
Estimating populations of marine river otters in Prince William Sound, Alaska, using radiotracer implants, 1021
Tew, T. E., I. A. Todd, and D. W. Macdonald:
Temporal changes in olfactory preference in murid rodents revealed by live-trapping, 750
Theimer, T. C., and P. Keim:
Geographical patterns of mitochondrial-DNA variation in collared peccaries, 121
Thomas, D. W.:
(see Picard, K.)
Todd, I. A.:
(see Tew, T. E.)
Tomasi, T. E., and D. A. Mitchell:
Seasonal shifts in thyroid function in the cotton rat (Sigmodon hispidus), 520
Torres-Mura, J. C.:
(see Contreras, L. C.)
Van Den Bussche, R. A.:
(see Baker, R. J.)
Van Horne, B.:
(see Stapp, P.)
van Staaden, M. J., R. K. Chesser, and G. R. Michener:
Genetic correlations and matrilineal structure in a population of Spermophilus richardsonii, 573
Van Vuren, D., and K. B. Armitage:
Reproductive succcess of colonial and noncolonial female yellow-bellied marmots (Marmota flaviventris), 950
Van Waerebeek, K., and A. J. Read:
Reproduction of dusky dolphins, Lagenorhynchus obscurus, from coastal Peru, 1054
VandeWoude, S.:
(see Stapp, P.)
Vassallo, A. I., M. J. Kittlein, and C. Busch:
Owl predation of two sympatric species of tucotucos (Rodentia: Octodontidae), 725
Vawter, A. T.:
(see McCracken, G. F.)
Velázquez, A.:
Distribution and population size of Romerolagus diazi on El Pelado Volcano, México, 743
Vely, M.:
(see Robineau, D.)
Volleth, M., and K.-G. Heller:
Karyosystematics of plecotine bats: a reevaluation of chromosomal data, 416
Walker, L. I.:
(see Contreras, L. C.)
Wang, Z., and M. A. Novak:
Parental care and litter development in primiparous and multiparous prairie voles (Microtus ochrogaster), 18
Weckerly, F. W.:
Selective feeding by black-tailed deer: forage quality or abundance?, 905
Wemmer, C.:
(see Schwede, G.)
Wildt, D. E.:
(see Barone, M. A.)
Wilson, D. E.:
(see Cole, F. R.)
(see Studier, E. H.)
Wolff, J. O., W. D. Edge, and R. Bentley:
Reproductive and behavioral biology of the gray-tailed vole, 873
Würsig, B.:
(see Bräger, S.)
Yates, T. L.:
(see Cook, J. A.)
Yerli, S.:
(see Macdonald, D. W.)
Young, J. K.:
(see Stapp, P.)
Youngman, P. M.:
Beringian ferrets: mummies, biogeography, and systematics, 454

SUBJECTS

(New names in *italic* type)

Abrocoma bennetti, 980
Abrothrix:
  longipilis, 890, 980
  olivaceus, 980
  sanborni, 890
Acerodon lucifer, 276
Aconaemys fuscus, 980
Activity:
  Genetta genetta, 714
  Lynx pardinus, 382
  Odocoileus hemionus, 940
  Sus scrofa, 600
  Ursus americanus, 613
Age determination:
  Mirounga angustirostris, 483
  Ursus americanus, 406
Akodon, 163
  azarae, 446
  olivaceus, 890
Alaska:
  Alces alces, 621
  Lutra canadensis, 1021
  Ovis dalli, 328
  Rangifer tarandus, 10
Alberta:
  Spermophilus richardsonii, 573
Alcelaphus buselaphus, 870
Alces alces, 621, 821, 833, 1005, 1069
Alticola sikkimensis, 999
Amblyrhiza inundata, 276
Ammospermophilus leucurus, 694, 822
Ammotragus lervia, 710
Antidorcas marsupialis, 860
Antilocapra americana, 821
Apodemus sylvaticus, 750
Argentina:
  Akodon azarae, 446
  Ctenomys australis, 725
  Ctenomys talarum, 725
  Felis concolor, 150
  Octomys mimax, 768
Arizona:
  Sciurus aberti, 136, 700
  Tadarida brasiliensis, 500
  Tayassu tajacu, 121
Arkansas:
  Odocoileus virginianus, 1045
  Ursus americanus, 309, 406
Artibeus:
  glaucus, 678
  jamaicensis, 678
  lituratus, 370, 678
  obscurus, 678
Auliscomys micropus, 168, 894, 980
Barbastella barbastellus, 416
Behavior:
  Bison bison, 757
  Canis lupus, 14
  Cephalorhynchus hectori, 956
  Cervus nippon, 129
  Civettictis civetta, 84
  Dasypus novemcinctus, 189, 1033
  Didelphis virginiana, 60
  Hydrochaeris hydrochaeris, 410
  Lasiurus cinereus, 394
  Lutra canadensis, 989
  Lynx pardinus, 382
  Microtus ochrogaster, 18
  Ochotona princeps, 488
  Odocoileus hemionus, 536, 905
  Odocoileus virginianus, 438, 781
  Otocyon megalotis, 84
  Ovis dalli, 328
  Proteles cristatus, 84
  Tamiasciurus hudsonicus, 545
  Tursiops truncatus, 431
  Ursus maritimus, 420
  Vulpes vulpes, 981
Biodiversity:
  Conservation, 298
  Distribution patterns, 266
  Introduction, 265
  Molecular systematics, 277
  Wildlife management, 309
Biogeography:
  Mammals (20 spp), 39
Bison bison, 142, 757, 821
Blarina brevicauda, 49
Body mass:
  Alces alces, 1069
  Ctenomys australis, 725
  Ctenomys talarum, 725
  Peromyscus maniculatus, 681
Bolivia:
  Ctenomys (8 spp), 583
Boromys:
  offella, 276
  torrei, 276
Bos, 168
  taurus, 822
Botswana:
  Antidorcas marsupialis, 860
Breeding:
  Odocoileus hemionus, 940
Bretzia *nebrascensis*, 378
British Columbia:
  Canis lupus, 14
Brotomys:
  contractus, 276
  voratus, 276
Bubalus mephistopheles, 276
Burrows:
  Fossorial mammals, 852
  Marmota monax, 775
  Microtus ochrogaster, 492
California:
  Delphinus delphis, 399
  Dipodomys stephensi, 692, 929
  Mirounga angustirostris, 483
  Ochotona princeps, 488
  Odocoileus hemionus, 905

Caloprymnus campestris, 275
Canis:
latrans, 49, 68
lupus, 14, 199, 622, 741
Capreolus capreolus, 601
Carollia:
brevicauda, 678
castanea, 678
perspicillata, 678
Castor canadensis, 821
Cephalorhynchus hectori, 956
Cervus:
elaphus, 631, 821
nippon, 129
schomburgki, 276
Chaeropus ecaudatus, 275
Chaetodipus fallax, 695
Chelemys macronyx, 169
Chile:
Ctenomys *coyhaiquensis*, 338
Dusicyon culpaeus, 163
Dusicyon griseus, 163
Felis concolor, 150
Octodontomys gliroides, 768
Small mammals (15 spp), 979
Small mammals (9 spp), 890
Chiroderma:
doriae, 321
improvisum, 321
trinitatum, 321
Chromosomes:
Ctenomys *coyhaiquensis*, 338
Madoqua kirkii, 357
Microtus savii, 1040
Octodontomys gliroides, 768
Octomys mimax, 768
Plecotine bats (7 spp), 416
Civettictis civetta, 84
Clethrionomys:
californicus, 97
gapperi, 49
glareolus, 750
Clidomys:
osborni, 276
parvus, 276
Colorado:
Felis concolor, 150
Marmota flaviventris, 648, 950
Ochotona princeps, 488
Peromyscus maniculatus, 700
Community ecology:
Small mammals (9 spp), 890
Competition:
Canis lupus, 199
Condylura cristata, 49
Conepatus humboldtii, 168
Conilurus albipes, 276
Connochaetes taurinus, 861
Conservation:
Diceros bicornis, 298
Felis concolor, 150
Ctenomys:
australis, 725
boliviensis, 583
conoveri, 583
coyhaiquensis, 338
frater, 583
goodfellowi, 595
leucodon, 583
lewisi, 583
minutus, 595
opimus, 583
steinbachi, 583
talarum, 725
Dasypus novemcinctus, 189, 1033
Delphinus delphis, 399, 515
Demography:
Akodon azarae, 446
Ursus americanus, 309
Dens:
Ursus americanus, 466, 613
Ursus maritimus, 420
Density:
Akodon azarae, 446
Alces alces, 1069
Lutra canadensis, 1021
Panthera uncia, 998
Procyon lotor, 637
Pseudois nayaur, 998
Romerolagus diazi, 743
Sigmodon hispidus, 50
Description:
Bretzia *nebrascensis*, 378
Ctenomys *coyhaiquensis*, 338
Prosciurus *albiclivus*, 478
Development:
Microtus ochrogaster, 18
Diceros bicornis, 298
Didelphis virginiana, 60
Diet:
Antidorcas marsupialis, 860
Civettictis civetta, 84
Dusicyon culpaeus, 163
Dusicyon griseus, 163
Eptesicus fuscus, 71
Fossorial mammals, 852
Lasiurus cinereus, 394
Microtus pennsylvanicus, 880
Noctilio leporinus, 212
Odocoileus hemionus, 905
Otocyon megalotis, 84
Proteles cristatus, 84
Terrestrial mammals (4 spp), 24
Diet selection:
Mammalian herbivores, 733
Digestion:
Odocoileus virginianus, 1045
Dipodomys:
agilis, 203
californicus, 203
compactus, 203
deserti, 203
elator, 203
gravipes, 203
heermanni, 203
ingens, 203
merriami, 203, 695
microps, 203, 695
nelsoni, 203
nitratoides, 203

ordii, 203
panamintinus, 203
phillipsii, 203
simulans, 203
spectabilis, 203
stephensi, 203, 692, 929
venustus, 203
Dispersal:
Dipodomys stephensi, 929
Distribution:
Stenella clymene, 766
Dobsonia chapmani, 276
Dromiciops gliroides, 894
Durango:
Tadarida brasiliensis, 500
Dusicyon:
australis, 276
culpaeus, 163
griseus, 163
Echolocation:
Pipistrellus subflavus, 462
Ecology:
Terrestrial mammals (4 spp), 24
Ursus maritimus, 420
Education, 92
Elasmodontomys obliquus, 276
Electrophoresis:
Ctenomys (8 spp), 583
Hylomys parvus, 965
Hylomys suillus, 965
Oryzomys couesi, 914
Oryzomys palustris, 914
Sciuridae (7 spp), 102
Spermophilus richardsonii, 573
Tadarida brasiliensis, 500
Tomopeas ravus, 365
Eligmodontia typus, 168
Energetics:
Ammotragus lervia, 710
Enhydra lutris, 1024
Eptesicus fuscus, 71, 376
Equus:
caballus, 821
quagga, 276
Erethizon dorsatum, 49
Erinaceus europaeus, 967
Ethics of research on animals, 219
Euderma maculatum, 416
Eumops:
glaucinus, 370
perotis, 370
Euneomys chinchilloides, 168, 980
Extinction:
Mammals (82 spp), 275
Felis:
concolor, 150
pardina, 716
sylvestris, 24
Florida:
Felis concolor, 150
Glaucomys volans, 110
Spilogale putorius, 1013
Food caching:
Vulpes vulpes, 981
Food habits:
Bison bison, 142
Cervus nippon, 129
Neotropical bats (21 spp), 674
Sciurus aberti, 136, 700
Foraging:
Alces alces, 621
Fossil:
Bretzia *nebrascensis*, 378
Mustela eversmannii, 454
Mustela nigripes, 454
Prosciurus *albiclivus*, 478
Small mammals (15 spp), 979
Frugivory:
Mammals, 845
Gazella rufina, 276
Genetta genetta, 714
Geocapromys thoracatus, 276
Geographic variation:
Tayassu tajacu, 121
Georgia:
Odocoileus virginianus, 781
Geoxus valdivianus, 894
Glaucomys:
sabrinus, 49, 663
volans, 110, 224
Glossophaga soricina, 370, 678
Gorilla, 1
Guatemala:
Felis concolor, 150
Gulf of Mexico:
Tursiops truncatus, 431
Gulo gulo, 1018
Habitat:
Martes pennanti, 349
Odocoileus virginianus, 1045
Small mammals (9 spp), 890
Hawaii:
Terrestrial mammals (4 spp), 24
Herbivory:
Marmota monax, 775
Sciurus aberti, 700
Herpestes auropunctatus, 24
Heteropsomys:
antillensis, 276
insulans, 276
Hexaprotodon madagascariensis, 276
Hexolobodon phenax, 276
Hibernation:
Ursus americanus, 466
Hippopotamus lemerlei, 276
Hippotragus leucophaeus, 276
History of *ASM*, i(1), i(2), i(3), i(4)
Holocene:
Bretzia *nebrascensis*, 378
Small mammals (15 spp), 979
Home range:
Alces alces, 1005
Bison bison, 142
Clethrionomys californicus, 97
Genetta genetta, 714
Marmota flaviventris, 648
Sus scrofa, 600
Talpa romana, 529

Homo sapiens, 1
Horns:
  Ammotragus lervia, 710
Hybridization:
  Microtus savii, 1040
Hydrochaeris hydrochaeris, 410
Hydromalis gigas, 276
Hylomys:
  parvus, 965
  suillus, 965
Idaho:
  Glaucomys sabrinus, 663
Idionycteris phyllotis, 370, 416
Illinois:
  Microtus ochrogaster, 492
Indonesia:
  Hylomys parvus, 965
  Hylomys suillus, 965
Inia geoffrensis, 515
Irenomys tarsalis, 894
Isolobodon:
  montanus, 276
  portoricensis, 276
Italy:
  Microtus savii, 1040
  Sus scrofa, 600
  Talpa romana, 529
Japan:
  Cervus nippon, 129
Kansas:
  Peromyscus maniculatus, 681
Lagenorhynchus obscurus, 1054
Lagidium viscacia, 980
Lagorchestes:
  asomatus, 276
  leporides, 276
Lama guanicoe, 163
Lasionycteris noctivagans, 370
Lasiurus cinereus, 376, 394
Leimacomys buettneri, 276
Leporillus apicalis, 276
Lepus:
  americanus, 49, 821, 1063
  capensis, 163
Life history:
  Gliding mammals, 224, 227
Litter size:
  Mephitis mephitis, 657
Locomotion:
  Lutra canadensis, 989
Louisiana:
  Sciurus carolinensis, 102
  Sciurus niger, 102
Lutra canadensis, 989, 1021
Lynx:
  lynx, 49
  pardinus, 382
  rufus, 49
Macropus:
  greyi, 276
  robustus, 822
  rufus, 822
Macrotis leucura, 275
Madoqua kirkii, 357
Maine:
  Ursus americanus, 466
Malaysia:
  Hylomys suillus, 965
Mammal-Plant Interactions:
  Effects of large browsers, 833
  Fossorial herbivores, 852
  Introduction, 813
  Plant defenses, 816
  Pollination and seed dispersal, 845
Manitoba:
  Bison bison, 757
  Lasiurus cinereus, 394
Marmota:
  flaviventris, 648, 821, 950
  himalayana, 998
  monax, 64, 775
Martes:
  foina, 999
  pennanti, 349
Mating system:
  Microtus canicaudus, 873
Megalomys:
  desmarestii, 276
  luciae, 276
Meles meles, 601
Mephitis mephitis, 49, 657
Metabolism:
  Sigmodon hispidus, 520
México:
  Romerolagus diazi, 743
Michigan:
  Eptesicus fuscus, 71
  Mammals (20 spp), 39
  Martes pennanti, 349
Michoacán:
  Tadarida brasiliensis, 500
Microsciurus flaviventer, 102
Microtus:
  bavaricus, 276
  californicus, 696
  canicaudus, 873
  ochrogaster, 18, 492
  pennsylvanicus, 49, 821, 880
  savii, 1040
Migration:
  Tadarida brasiliensis, 500
Mimon crenulatum, 678
Minnesota:
  Mephitis mephitis, 657
  Ursus americanus, 175
Mirounga angustirostris, 483
Missouri:
  Sigmodon hispidus, 520
Mitochondrial DNA:
  Chiroderma (5 spp), 321
  Tayassu tajacu, 121
  Tomopeas ravus, 365
Molossus molossus, 370
Monachus tropicalis, 276
Montana:
  Canis lupus, 14
  Glaucomys sabrinus, 663
Mormopterus kalinowskii, 370
Morphology:
  Delphinus delphis, 515
  Inia geoffrensis, 515

Pongo pygmaeus, 1
Pontoporia blainvillei, 515
Morphometrics:
Ctenomys *coyhaiquensis*, 338
Delphinus delphis, 515
Dipodomys (19 spp), 203
Hylomys parvus, 965
Hylomys suillus, 965
Inia geoffrensis, 515
Pontoporia blainvillei, 515
Mortality:
Canis lupus, 199
Movement:
Dipodomys stephensi, 929
Mus musculus, 24, 696
Mustela:
erminea, 49
eversmannii, 454
frenata, 49
nigripes, 454
nivalis, 999
vison, 1024
Myocaster coypus, 981
Myotis:
leibii, 370
riparius, 678
Mystacina robusta, 276
Namibia:
Madoqua kirkii, 357
Natural history:
Glaucomys volans, 110
Nebraska:
Bretzia *nebrascensis*, 378
Nectarivory:
Mammals, 845
Neotoma:
fuscipes, 696
lepida, 696
Nepal:
Panthera uncia, 998
Pseudois nayaur, 998
Nesophontes:
edithae, 276
hypomicrus, 276
longirostris, 276
major, 276
micrus, 276
paramicrus, 276
submicrus, 276
zamicrus, 276
Nesoryzomys darwini, 276
Nests:
Glaucomys sabrinus, 663
Glaucomys volans, 110
Microtus ochrogaster, 492
Sciurus aberti, 136
Nevada:
Dipodomys stephensi, 692
New Mexico:
Spermophilus spilosoma, 102
Tadarida brasiliensis, 500
New York:
Didelphis virginiana, 60
New Zealand:
Cephalorhynchus hectori, 956
Noctilio leporinus, 212, 674
North Carolina:
Ursus americanus, 175
North Dakota:
Mephitis mephitis, 657
Prosciurus *albiclivus*, 478
Northwest Territories:
Bison bison, 142
Canis lupus, 741
Ursus maritimus, 420
Norway:
Alces alces, 1069
Notomys:
amplus, 276
longicaudatus, 276
macrotis, 276
mordax, 276
Nuevo León:
Tadarida brasiliensis, 500
Nutrition:
Eptesicus fuscus, 71
Neotropical bats (21 spp), 674
Nycticeius humeralis, 370
Nyctimene sanctacrucis, 276
Nyctinomops:
aurispinosus, 370
laticaudatus, 370
Ochotona:
princeps, 488
roylei, 999
Octodon:
bridgesi, 980
degus, 583, 980
lunatus, 981
Octodontomys gliroides, 768
Octomys mimax, 768
Odocoileus:
hemionus, 536, 821, 905, 940
virginianus, 49, 199, 438, 781, 821, 1045
Ohio:
Microtus pennsylvanicus, 880
Oil spill:
Lutra canadensis, 1021
Oklahoma:
Odocoileus virginianus, 1045
Sigmodon hispidus, 50
Tadarida brasiliensis, 500
Olfaction:
Apodemus sylvaticus, 750
Clethrionomys glareolus, 750
Oligocene:
Prosciurus *albiclivus*, 478
Oligoryzomys longicaudatus, 890, 980
Ontario:
Pipistrellus subflavus, 462
Zapus hudsonius, 1063
Onychogalea lunata, 276
Onychomys leucogaster, 694
Optimal foraging:
Mammalian herbivores, 816
Oreamnos americanus, 631
Oregon:
Clethrionomys californicus, 97
Microtus canicaudus, 873

Orientation:
Delphinus delphis, 399
Oryctolagus cuniculus, 822
Oryx gazella, 870
Oryzomys:
couesi, 914
longicaudatus, 168
nelsoni, 276
palustris, 914
Otocyon megalotis, 84
Otonycteris hemprichi, 418
Ovibos moschatus, 822
Ovis:
ammon, 634
aries, 168, 821
canadensis, 821
dalli, 328, 631
Pan:
paniscus, 6
troglodytes, 1
Panthera uncia, 998
Parturition:
Rangifer tarandus, 12
Pathology:
Peromyscus maniculatus, 704
Perameles eremiana, 275
Perognathus longimembris, 695
Peromyscus:
eremicus, 696
maniculatus, 49, 681, 694, 700
pembertoni, 276
Peru:
Bats (20 spp), 675
Lagenorhynchus obscurus, 1054
Microsciurus flaviventer, 102
Sciurillus pusillus, 102
Sciurus stramineus, 102
Tomopeas ravus, 365
Phyllostomus:
elongatus, 678
hastatus, 678
Phyllotis darwini, 169, 980
Phylogeny:
Chiroderma (5 spp), 321
Ctenomys (8 spp), 583
Octodontidae, 768
Sciuridae (7 spp), 102
Tomopeas ravus, 365
Physiology:
Antidorcas marsupialis, 860
Felis concolor, 150
Odocoileus hemionus, 536
Sigmodon hispidus, 520
Spilogale putorius, 1013
Pipistrellus subflavus, 370, 462
Plagiodontia:
araeum, 276
ipnaeum, 276
Platyrrhinus:
helleri, 678
infuscus, 678
Plecotus:
auritus, 417
austriacus, 417
rafinesquii, 370
townsendii, 416
Pleistocene:
Bretzia *nebrascensis*, 378
Mustela eversmannii, 454
Mustela nigripes, 454
Pongo pygmaeus, 1
Pontoporia blainvillei, 515
Population dynamics:
Sigmodon hispidus, 50
Sus scrofa, 600
Population genetics:
Spermophilus richardsonii, 573
Tadarida brasiliensis, 500
Potorous platyops, 275
Predation:
Ctenomys australis, 725
Ctenomys talarum, 725
Panthera uncia, 998
Pseudois nayaur, 998
Procyon:
gloveralleni, 276
lotor, 49, 637
Prolagus sardus, 276
Promops centralis, 370
Pronounciation:
Latin names, 229
Prosciurus *albiclivus*, 478
Proteles cristatus, 84
Pseudois nayaur, 998
Pseudomys:
fieldi, 276
gouldii, 276
Pteropus:
brunneus, 276
pilosus, 276
subniger, 276
tokudae, 276
Puerto Rico:
Noctilio leporinus, 212, 674
Puertoricomys corozalus, 276
Quebec:
Ursus americanus, 613
Quemisia gravis, 276
Radiotelemetry:
Bison bison, 142
Clethrionomys californicus, 97
Lynx pardinus, 382
Rangifer tarandus, 10
Talpa romana, 529
Ursus americanus, 466
Rangifer tarandus, 10, 631, 822
Rattus:
macleari, 276
nativitatis, 276
rattus, 24, 696
Reithrodon physodes, 168
Reithrodontomys megalotis, 696
Reproduction:
Bison bison, 757
Felis concolor, 150
Lagenorhynchus obscurus, 1054
Marmota flaviventris, 950
Mephitis mephitis, 657
Microtus canicaudus, 873
Odocoileus virginianus, 781

Pongo pygmaeus, 1
Rangifer tarandus, 12
Spilogale putorius, 1013
Ursus americanus, 175
Rhinophylla pumilio, 678
Rhizoplagiodontia lemkei, 276
Rhyncholestes raphanurus, 894
Romerolagus diazi, 743
Saccopteryx bilineata, 678
Salivary proteins:
Microtus pennsylvanicus, 880
Scent discrimination:
Dasypus novemcinctus, 1033
Scent marking:
Hydrochaeris hydrochaeris, 410
Scent stations:
Procyon lotor, 637
Sciurillus pusillus, 102
Sciurus:
aberti, 136, 700
carolinensis, 102
niger, 102
stramineus, 102
Scotophilus borbonicus, 276
Sex ratio:
Alces alces, 1069
Artiodactyla (4 spp), 631
Glaucomys volans, 110
Sexual maturity:
Mirounga angustirostris, 483
Sigmodon hispidus, 50, 520
Size:
Dusicyon culpaeus, 163
Dusicyon griseus, 163
Social structure:
Alces alces, 621, 1005
Dasypus novemcinctus, 189
Marmota flaviventris, 950
Microtus ochrogaster, 492
Tursiops truncatus, 431
Ursus americanus, 175
Solenodon marcanoi, 276
Solomys salamonis, 276
Sorex cinereus, 49
South Africa:
Antidorcas marsupialis, 860
Civettictis civetta, 84
Otocyon megalotis, 84
Proteles cristatus, 84
South Dakota:
Bretzia *nebrascensis*, 378
Spain:
Genetta genetta, 714
Lynx pardinus, 382
Spalacopus cyanus, 980
Spatial association:
Odocoileus virginianus, 438
Tursiops truncatus, 431
Species assemblage:
Caviomorpha, 979
Species richness:
Mammals (20 spp), 39
Spermophilus:
columbianus, 821
mohavensis, 694
parryii, 1063
richardsonii, 573
spilosoma, 102
Sphiggurus pallidus, 276
Spilogale:
gracilis, 1013
putorius, 1013
Stenella clymene, 766
Sturnira lilium, 370, 678
Survival:
Didelphis virginiana, 60
Sus scrofa, 600
Sweden:
Alces alces, 1005
Sylvilagus nutalli, 821
Systematics:
Chiroderma (5 spp), 321
Hylomys parvus, 965
Hylomys suillus, 965
Oryzomys couesi, 914
Oryzomys palustris, 914
Tadarida brasiliensis, 370, 500
Talpa romana, 529
Tamaulipas:
Oryzomys couesi, 914
Oryzomys palustris, 914
Tadarida brasiliensis, 500
Tamiasciurus hudsonicus, 49, 102, 545, 665, 1063
Taxonomy:
Ctenomys (8 spp), 594
Microtus savii, 1040
Tayassu tajacu, 121
Techniques:
Fluorescent powder tracking, 704
Infrared thermal imaging, 1063
Mesh versus Sherman traps, 692
Tennessee:
Procyon lotor, 637
Tamiasciurus hudsonicus, 102
Territoriality:
Canis lupus, 199
Hydrochaeris hydrochaeris, 410
Talpa romana, 529
Tamiasciurus hudsonicus, 545
Texas:
Dasypus novemcinctus, 189, 1033
Felis concolor, 150
Odocoileus hemionus, 940
Oryzomys couesi, 914
Oryzomys palustris, 914
Tadarida brasiliensis, 500
Tayassu tajacu, 121
Tursiops truncatus, 431
Thermoregulation:
Odocoileus hemionus, 536
Thylacinus cynocephalus, 275
Thylamys elegans, 980
Tolypeutes tricinctus, 276
Tomopeas ravus, 365
Tonatia bidens, 678
Trachops cirrhosus, 678
Tragelaphus strepsiceros, 821
Translocation:
Ursus americanus, 309

Travel speed:
Canis lupus, 741
Turkey:
Vulpes vulpes, 981
Tursiops truncatus, 431
United Kingdom:
Apodemus sylvaticus, 750
Clethrionomys glareolus, 750
Uroderma bilobatum, 678
Uromys:
imperator, 276
porculus, 276
Ursus:
americanus, 49, 175, 309, 406, 466, 613
arctos, 622
maritimus, 420
Uruguay:
Felis concolor, 150
Venezuela:
Hydrochaeris hydrochaeris, 410
Virginia:
Marmota monax, 775
Odocoileus virginianus, 438
Ursus americanus, 175
Vulpes vulpes, 49, 601, 985, 999
Washington:
Odocoileus hemionus, 536
West Africa:
Stenella clymene, 766
Yukon Territory:
Artiodactyla (4 spp), 631
Mustela eversmannii, 454
Mustela nigripes, 454
Small mammals (3 spp), 1063
Tamiasciurus hudsonicus, 545
Zapus hudsonius, 1063

Reviews

Augee, M. L. (ed.):
Platypus and echidnas, reviewed by B. D. Patterson, 559
Bailey, T. N.:
The African leopard: ecology and behavior of a solitary felid, reviewed by J. C. K. Peterhans, 1093
Boyd, I. L. (ed.):
Marine mammals: advances in behavioural and population biology, reviewed by W. A. Bachman, 1094
Brooks, D. R., and D. A. McLennan:
Phylogeny, ecology, and behavior: a research program in comparative biology, reviewed by J. S. Brown, 243
Burns, J. J., J. J. Montague, and C. J. Cowles (eds.):
The bowhead whale, reviewed by V. B. Scheffer, 558
Corbet, G. B., and J. E. Hill:
The mammals of the Indomalayan region: a systematic review, reviewed by G. G. Musser, and K. F. Koopman, 799
Dunston, N., and M. L. Gorman (eds.):
Mammals as predators, reviewed by P. L. Meserve, and J. A. Yunger, 1083
Forrester, D. J.:
Parasites and diseases of wild mammals in Florida, reviewed by J. O. Whitaker, Jr., 246
Fox, J. W., C. B. Smith, and K. T. Wilkins (eds.):
Proboscidean and paleoindian interactions, reviewed by P. S. Martin, 556
Gebo, D. L. (ed.):
Postcranial adaptation in nonhuman primates, reviewed by J. Kohler, 1095
Hansen, K.:
Cougar—the American lion, reviewed by M. Sunquist, 233
Hartl, G. B., and J. Markowski (eds.):
Ecological genetics in mammals, reviewed by R. C. Lacy, 1090
Haynes, G.:
Mammoths, mastodonts, and elephants: biology, behavior, and the fossil record, reviewed by V. L. Roth, 234
Hayssen, V., A. van Tienhoven, and A. van Tienhoven:
Asdell's patterns of mammalian reproduction: a compendium of species-specific data, reviewed by F. S. Dobson, 231
Kappeler, P. M., and J. U. Ganzhorn (eds.):
Lemur social systems and their ecological basis, reviewed by M. Dagosto, 795
Lunney, D. (ed.):
Conservation of Australia's forest fauna, reviewed by W. F. Laurance, 798
Nagorsen, D. W., and R. M. Brigham:
Bats of British Columbia. Volume 1, The mammals of British Columbia, reviewed by M. B. Fenton, 793
Porter, V.:
Pigs: a handbook to the breeds of the world, reviewed by I. L. Brisbin, Jr., 793
Reeves, R. R., B. S. Stewart, and S. Leatherwood:
The Sierra Club handbook of seals and sirenians, reviewed by K. W. Kenyon, 231
Ricklefs, R. E., and D. Schluter (eds.):
Species diversity in ecological communities; historical and geographical perspectives, reviewed by D. A. Kelt, 1084
Smith, H. C.:
Alberta mammals: an atlas and guide, reviewed by D. L. Pattie, 557
Stenseth, N. C., and W. Z. Lidicker, Jr. (eds.):
Animal dispersal: small mammals as a model, reviewed by R. S. Ostfeld, 553
Thomas, J. A., R. A. Kastelein, and A. Ya. Supin (eds.):
Marine mammal sensory systems, reviewed by J. E. Heyning, 795
Wilson, D. E., and D. M. Reeder (eds.):
Mammal species of the world: a taxonomic and geographic reference, 2nd edition, reviewed by B. D. Patterson, 236
Mammal species of the world: a taxonomic and geographic reference, 2nd edition, reviewed by G. B. Corbet, and J. E. Hill, 239

LETTERS

Cartmill, M.:
Animal rights: a reply to Howard, 1080
Humphrey, S. R.:
Endangered mammals of Florida: is mammalogy credible?, 551
Ommundsen, P. D.:
Sylvilagus, Neotoma, and other pathologies of pronunciation, 229
Pritchard, P. C. H.:
Comment on gender and declension of generic names, 549

OBITUARY

Emmet T. Hooper (1911–1992):
Appreciation by J. H. Brown, M. D. Carleton, J. A. Estes, T. H. Flemming, and G. G. Musser, 787